#### New York State Department of Environmental Conservation

Division of Solid and Hazardous Materials

Bureau of Waste Reduction and Recycling, Room 212

50 Wolf Road, Albany, New York 12233-7253

Phone: (518) 457-6072 FAX: (518) 457-1283



AUG 3 1 1998

Mr. Kurt Meyer Secretary Geometric Circuits, Inc. 11 Michael Avenue Farmingdale, NY 11735

Dear Mr. Meyer:

Re: Biennial Update (BU)
Geometric Circuits, Inc.
EPA ID# NYR082788126

Based on our review of your Biennial Update, received on July 29, 1998, we find that your Update meets the Hazardous Waste Reduction Planning Requirements of Article 27, Section 0908 of the Environmental Conservation Law.

Please submit an Annual Status Report as required by the law on July 1, 1999 on your progress in achieving the time schedule in your update for implementing waste reduction measures identified. The status report must include an update of Table 1 and Table 2, and must be submitted by July 1 for each year that a hazardous waste reduction plan Biennial Update is not submitted.

We encourage you to make pollution prevention an ongoing process, and to look for additional hazardous waste technologies that can be implemented at your facility. The ongoing development and implementation of a waste reduction training program for your facility personnel is an important ingredient for the continued success of your waste reduction program.

If you have any questions, please contact Mr. Juzer Rasani at 518-457-6072.

Sincerely,

Dennis J. Lucia, P. E

Section Chief

Hazardous Waste Minimization Section

cc: w/inc. - A. Cava, Reg. 1

w/inc. - J. Reidy, EPA Region II

# NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION EAZARDOUS WASTE REDUCTION PLAN/BIENNIAL UPDATE

FACILITY SUMMARY SHEET

DATE: Bu Accepted 8/31/98

EPA ID #	NYRO82788126
COMPANY NAME	Creometric Circuits, Inc.
ADDRESS	11 Michael AV.
CITY	Farming dale
STATE	N.Y.
ZIPCODE	11 735
FACILITY CONTACT	Kurt Meyer
PHONE #	516-249-0230
SIC CODE	3672
REGION (NYS)	1 -
FINAL HSWA PERMIT EFFECTIVE DATE	
FINAL NYS PART 373 PERMIT EFFECTIVE DATE	

DESCRIPTION OF ORIGINAL PROCESS:

Hazardons waste water generated due to electroles
Pother Plating in the Manufacturin of printed
circuit-boards.

DESCRIPTION OF WASTE REDUCTION ACTIVITY:

1) Elimination of tim Stripping	

Company Name:	EPA I.D. Number
Geometric Circuits Inc.	NINE COUNTY 33C
	IIIII CAN DID ARC

## HAZARDOUS WASTE GENERATION SUMMARY

Table 1

							1,					
Waste Stream LD Number	Name of Waste	Source of Generation	Disposal Quantity of Waste Method Generated (tons)		*	Indices (1b waste generated /1b product produced)						
	<b>Y</b>	7	,	1994	1995	1996	1997	Theo	1994	1995	1996	1997
_5	Copper	m. ball-iust		31.4	35	39	36	0.48	0.32	0.22	0.27	0.28
6	Capper	lonexcharge regen	reclaim.	47.5	58	58.1	57.5.	0.4	0.48	0.36	0.4	0.41
8.	Flox OII	soker dipping_	blending		1.9	1.3	1.5	0.01	<u> </u>	0.01	0.01	0.01
	,	, )	7									
								***************************************				
	19							1	İ			
	49			-		<u> </u>						
	•								<del> </del>			
* .	,						. 1	•		<del>                                     </del>		
		1							<del> </del>			
					7	<i>A</i> ,						
					· .	. :.	. T	¥./:		i i		
			-									

Company Name:	EPA LD. Number
Geometric Circuits. Inc	NYR 000 016 220
	A

#### HAZARDOUS WASTE REDUCTION PROGRAM

#### Table 2

Waste Stream I.D. No.	Name of Waste	Waste Stream Affected	Reduction Plans/Projects	Estimated Waste Reduction (Tons)	Method Used to Calculate *ROI	ROI (est)	Goal Date	Remarks
5 = 6	Copper	lon exchange	change to ting etch and  fivil capper plating  eliminating of tin plating  and tin stripping  introduction of closed-loop  atmospheric expandors  acopper plating		PP	Tyenrs	3/98	
		1	Etch-charge to 5 chamber cascade rinse and use as made up chemistry					

\*ROI = Return on investment

AC = Annualized cost

IRR = Internal rate of return

NPV = Net present value

PP = Pay back period PI = Profitability index



## ACKNOWLEDGEMENT OF NOTIFICATION OF HAZARDOUS WASTE ACTIVITY

02/09/98

This is to acknowledge that you have filed a Notification of Hazardous Waste Activity for the installation located at the address shown in the box below to comply with Section 3010 of the Resource Conservation and Recovery Act (RCRA). Identification Number for that installation appears in the box The EPA Identification Number must be included on all shipping manifests for transporting hazardous wastes; on all Annual Reports that generators of hazardous waste, and owners and operators of hazardous waste treatment, storage and disposal facilities must file with EPA; on all applications for a Federal Hazardous Waste Permit; and other hazardous waste management reports and documents required under Subtitle C of RCRA.

EPA I.D. NUMBER ->

NYR000016220

FACILITY NAME ->

GEOMETRIC CIRCUITS INC

MAILING ADDRESS ->

11 MICHAEL AVE FARMINGDALE, NY 11735

INSTALLATION ADDRESS -> 11 MICHAEL AVE FARMINGDALE, NY 11735

EPA Form 8700-12AB (4-80)

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION II 290 BROADWAY NEW YORK, NEW YORK 10007-1866

ATTN: AIR & WASTE MANAGEMENT DIVISION, 22ND FL. **HAZARDOUS & SOLID WASTE PROGRAMS BRANCH** RCRA NOTIFICATIONS

TO: MEYER, KURT SECY TREASURER GEOMETRIC CIRCUITS INC 11 MICHAEL AVE FARMINGDALE, NY 11735 To avoid delays in processing, please complete all sections.

Only original signature of the Generator is acceptable.

Please refer to the Instructions for Filing Notification before completing this form. The information requested here is required by law (Section 3010 of the Resource Conservation and Recovery Act).

## **EPA**

# Notification of Regulated Waste Activity

Date Received (For Official Use Only)

United States Environmental Protection Agency

98.02-02

L Installation's EPA ID Number (Mark X' in the appropriate box)
A. First Notification  B. Subsequent Notification  C. Installation's EPA ID Number  N R O O O O 1.6 2 2 0
IL Name of Installation (Include company and specific site name)
SEOMETRIC CIRCUITS INC
III. Location of Installation Requires Building Number or Latitude and Longitude for processing.
Street Street
1 I MICHAEL AVENUE - Street (Continued)
City of Town State Zip Code
FARMINGDALLE I I NIVILIZIZISI I I I
County Name
103 SUFFOLK - 1
IV. Installation Mailing Address
Street or P.O. Box SAME
City or Town State   Zip Code
V. Installation Contact (Person to be contacted regarding waste activities at site)
Name (Last)
MEYERI
Job Title Phone Number (Area Code and Number)
SECRETARY TRESURER
VI. Installation Contact Address 5471E
A. Contract Address Location Mailing Other  B. Street or P.O. Box
City or Town State Zip Code
VII. Ownership PROPERTY
A. Name of Installation's Legal Owner
POLMEREALTY
Street, P.O. Box, of Route Number
1 1- MICHAEL AVE
City or Town State Zip Code
FARMINGDALE   NY 11 7 35
Phone Number (Area Code and Number)  B. Land Type  C. Owner Type  D. Change of Owner (Date Changed)
5/6/2490230 - P Yes XNO

Form Approved. OMB No. 2050-0028 Expires 9-20 Please print or type with ELITE type (12 characters per inch) in the unshaded areas only GSA NO. 0246 .EPA. ID - For Official Use Only VIII. Type of Regulated Waste Activity (Mark X' in the appropriate boxes; Refer to instructions) A. Hazardous Waste Activity B. Used Oil Recycling Activities Generator (See instructions) Used Oil Fuel Marketer Treater, Storer, Disposer (at a. Greater than 1000kg/mo (2,200 lbs.) a. Marketer Directs Shipment of Used installation) Note: A permit is b. 100 to 1000 kg/mo (200-2,200 lbs.) Oil to Off-Specification Burner required for this activity; see c. Less than 100 kg/mo (220 lbs) b. Marketer Who First Claims the Used instructions. Transporter (Indicate Mode in boxes 1-5 Oil Meets the Specifications Hazardous Waste Fuel Used Oil Burner - Indicate Type(s) of below) . a. Generator Marketing to Burner Combustion Device(s) a. For own waste only b. Other Marketers b. For commercial purposes a. Utility Boiler c. Boiler and/or Industrial Furnace b. Industrial Boiler 1. Smelter Deferral c. Industrial Furnace Mode of Transportation 2. Small Quantity Exemption Used Oil Transporter - Indicate Type(s) 1. Air Indicate Type of Combustion of Activity(ies) 2. Rail Device(s) Transporter 3. Highway 1. Utility Boiler Transfer Facility 4. Water 2. Industrial Boiler Used Oil Processor/Re-refiner - Indicate 5. Other - specify 3. Industrial Furnace Type(s) of Activity(ies) Underground Injection Control a. Process b. Re-refine IX. Description of Hazardous Wastes (Use additional sheets if necessary) A. Characteristics of Nonlisted Hazardous Wastes. (Mark X' in the boxes corresponding to the characteristics of nonlisted hazardous wastes your installation handles; See 40 CFR Parts 261.20 - 261.24) 1. Ignitable 2. Corrosive 3. Reactive 4. Toxicity (D001) (D002) Characteristic (List specific EPA hazardous waste number(s) for the Toxicity characteristic contaminant(s)) (D003) B. Listed Hazardous Wastes. (See 40 CFR 261.31 - 33; See instructions if you need to list more than 12 waste codes.) 3 4 5 9 10 11 12 C. Other Wastes. (State or other wastes requiring a handler to have an I.D. number, See instructions.) 6 X. Certification I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. BRIGINAL Name and Official Title (Type or print) IMPORTANT XI. Comments

Note: Mail completed form to the appropriate EPA Regional or State Office. (See Section III of the booklet for addresses.)

EPA Form 8700-12 (Rev. 11-30-93) Previous edition is obsolete.



## ACKNOWLEDGEMENT OF NOTIFICATION OF HAZARDOUS WASTE ACTIVITY

11/20/95

This is to acknowledge that you have filed a Notification of Hazardous Waste Activity for the installation located at the address shown in the box below to comply with Section 3010 of the Resource Conservation and Recovery Act (RCRA). Your EPA Identification Number for that installation appears in the box below. The EPA Identification Number must be included on all shipping manifests for transporting hazardous wastes; on all Annual Reports that generators of hazardous waste, and owners and operators of hazardous waste treatment, storage and disposal facilities must file with EPA; on all applications for a Federal Hazardous Waste Permit; and other hazardous waste management reports and documents required under Subtitle C of RCRA.

EPA I.D. NUMBER -> NYR000016220

FACILITY NAME -> GEOMETRIC CIRCUITS INC

MAILING ADDRESS -> 11 MICHAEL AVE FARMINGDALE, NY 11735

INSTALLATION ADDRESS -> 11 MICHAEL AVE FARMINGDALE, NY 11735

EPA Form 8700-12AB (4-80)

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY **REGION II** 290 BROADWAY NEW YORK, NEW YORK 10007-1866

ATTN: AIR & WASTE MANAGEMENT DIVISION, 22ND FL. **HAZARDOUS & SOLID WASTE PROGRAMS BRANCH** RCRA NOTIFICATIONS

MEYER, KURT TO: VICE PRES GEOMETRIC CIRCUITS INC 11 MICHAEL AVE FARMINGDALE, NY 11735



## U.S. EPA AGENCY RO II

95 NOV 15 AM II: 15

MAZARDOUS & SULIO WASTL PROGRAMS BRANCH 11/13/95

USEPA Region II Air & Waste Management 290 Broadway New York NY 10007-1866 Floor 22

Dear Sir:

Enclosed is an application for an EPA number. Can you please rush this application since this account needs to have this waste picked up immediately.

If you have any further questions, please call me at (516) 842-6311.

Thank you,

oyce Zimmerman Office Supervisor

Safety Kleen Corp 60 Seabro Ave N Amityville, NY 11701

1000 NORTH RANDALL ROAD

PHONE 708/697-8460

Please print or type with ELITE type (12 characters per inch) in the unshaded areas only

Form Approved. OMB No. 2050-0028. Expires 10-31-91 GSA No. 0246-EPA-OT

Please refer to the Instructions for Filing Notification before completing this form. The information requested here is required by law (Section 3010 of the Resource Conservation and Recovery Act).



## Notification of **Regulated Waste** Activity

**Date Received** (For Official Use Only)

United States Environmental Protection Agency I. Installation's EPA ID Number (Mark 'X' in the appropriate box) **B. Subsequent Notification** A. First Notification (complete item C) II. Name of Installation (Include company and specific site name) OMET R R C III. Location of Installation (Physical address not P.O. Box or Route Number) Street Street (continued) State ZIP Code City or Town **County Code County Name** U IV. Installation Mailing Address (See instructions) Street or P.O. Box State ZIP Code City or Town V. Installation Contact (Person to be contacted regarding waste activities at site) Name (last) Job Title Phone Number (area code and number) 0 0 VI. Installation Contact Address (See Instructions) A. Contact Address B. Street or P.O. Box Mailing Location **ZIP Code** State City or Town VII. Ownership (See instructions) A. Name of Installation's Legal Owner Street, P.O. Box, or Route Number City or Town State **ZIP** Code G (Date Changed) Day Year D. Change of Owner Indicator B. Land Type C. Owner Type Month Pinone Number (area code and number) No

			111	For Office	al Use Only	To I
VIII. Type of Regulated Waste Act	ivity (Mark 'X' in the appropriate t	oxes. Refer	to instruction	ns.)		
	dous Waste Activity			Oil Fuel	Activities	C. Te
1. Generator (See Instructions) a. Greater than 1000kg/mo (2,20) b. 100 to 1000 kg/mo (220 - 2,20) c. Less than 100 kg/mo (220 lbs.) 2. Transporter (Indicate Mode in boxe) a. For own waste only b. For commercial purposes Mode of Transportation  1. Air 2. Rail 3. Highway 4. Water 5. Other - specify	00 lbs.)  4. Hazardous Waste Fu  a. Generator Marke	uired for uctions. sel sting to Burner e device(s) – stion Device ler Boiler Furnace	a. b. c.	Generator Other Mar Burner - i Type of C 1. Uti 2. Inc 3. Inc pecification of On-site Bu	tion Used Oil r Marketing to rkerer indicate device combustion De ility Boiler dustrial Boiler dustrial Furnace Used Oil Fuel urner) Who Fithe Specificat	Burner ce(s) - evice  Marketerst Claim
	ive 4. Toxic	rresponding to				
	DOOR					100
. Listed Hazardous Wastes. (See 40	CFR 261.31 - 33. See instructions if yo	u need to list m	nore than 12 wa	ste codes.)	PH-2.7%	4
1 2	3	4	5		6	
0008						)
7 8	9	10	11		12	
			LLL			Ш
. Other Wastes. (State or other wastes	requiring an I.D. number. See instruct	ions.)				CETAN
1 2	3	4	5		6	A Service
				1	TI	$\top$
Certification	Posts - Control of Control	THE RESIDENCE		3	4. 1 - 14.11	under 1
nd all attached documents, ar btaining the information, I beli	I have personally examined and that based on my inquiry of every that the submitted information for submitting false information.  Name and Official Title (type Soll) for the fall of the	f those indition is true, rmation, ind	viduals imm accurate, and cluding the	nediately nd compl possibil	responsiblete. I am a lity of fines	le for aware
	To protocom n	ILESIDE			UK TOROTES	STATE OF THE PARTY
Comments						
		-				

#### JUL 02 1998

Kurt Meyer Vice-President of Geometric Circuits 11 Michael Avenue Farmingdale, New York 11735

Re: EPA ID No. NY 000 016 220

Dear Mr. Meyer:

Your submittal dated April 23, 1998, in response to the U.S. Environmental Protection Agency's (EPA) RCRA Notice of Violation, has been deemed satisfactory. Your facility has been entered in our Data Management System as having achieved physical compliance with the violation cited in the above referenced letter. This matter can now be considered concluded and the enforcement action resolved.

Please be advised your facility is under the continuing obligation to comply with all the applicable state and federal regulations regarding the management of hazardous waste. Subsequently, if your facility should be found in violation of the regulation in the future, you may be subject to escalated enforcement action, including monetary penalties.

If you have any questions, direct them to me at (212) 637-4158.

Sincerely,

Claudia J. Gutierrez Environmental Scientist 4c 19-002(1/96-- 10g



# NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION DIVISION OF SOLID & HAZARDOUS MATERIALS 50 WOLF ROAD • ALBANY, NY 12233-7250

## HAZARDOUS WASTE REGULATORY FEE INFORMATION

NOTE: Please carefully read the instructions before completing this form.

SECTION I—GENERAL	
NAME OF GENERATOR OR TSD FACILITY	
GEOMETRIC CIRCUITS , INC.	EPA ID
FACILITY MAILING ADDRESS	N   Y   R   O   O   O   O   1   6   2   2   0
11 MICHAEL AVENUE	
CITY	STATE ZIP CODE
FARMINGDALE	NY 1 1 1 7 1 3 15 1-1 1 1
LOCATION OF GENERATOR OR FACILITY (If different from above)	
CITY	
5111	STATE ZIP CODE
AT LEAST ONE BLOCK MUST BE CHECKED	
☑ Generator Only ☐ Treatment. Storage. Disposal (TSD) Facility Only	
, — Macinity Only	Generator and TSD (See definitions)
, SECTION II—GENERATOR	
<ol> <li>Summarize all hazardous waste totals, in tons, (excluding wastewater) produce DO NOT include waste that is exempt from fees (see instructions)</li> </ol>	ced at this facility.
TOTAL HAZARDOUS WASTE (Excluding wastewater) 86	
2. Summarize total hazardous wastewater generated, including hazardous waste	10.10
TOTAL HAZARDOUS WASTEWATER 90 tons	ewater freated by off-site systems. (see instructions)
tons	
SECTION III—TREATMENT, STORAGE AN	ND DISPOSAL
Complete This Section ONLY If Your Facility is a	BCBA Pegulated TSB
1. Please check all process units.	Many?
2. Please summarize and convert the total to tons.	
TOTAL HAZARDOUS WASTE RECEIVED FROM OFF-SITE	
	tons tons
3. For RCRA Regulated TSD process Units: Summarize all totals and convert th	
TOTAL HAZARDOUS WASTE MANAGED THROUGH RCRA REGULATED T	SD UNITS tons
4. Amount of hazardous waste stored on-site on December 31, 19	tons .
5. Is your facility under post closure care?	
SECTION IV—CERTIFICATION	N
I certify that the information in this form accurately represents the hazardous This activity(ies) may be subject to regulatory fees.	waste activity at this site during the current year.
NAME TITL	E
KURT J. MEYER	SEC/TRES
SIGNATURE (Original Only—No Photocopies)	DATE 1/7/97
CONTACT IF OTHER THAN ABOVE	TELEPHONE NUMBER
FOR OFFICIAL USE ONLY	1.( )!!!-!!!
•	
	*

## N.Y.S. DEPARTMENT OF ENVIRONMENTAL CONSERVATION

### 1997 HAZARDOUS WASTE REPORT



IDENTIFICATION
AND
CERTIFICATION

Page 1 of \_\_\_4

FORM

INSTRUCTIONS: Read the detailed instructions beginning on page 7 of the Hazardous Waste Report booklet before completing this form.					
Sec   SITE NAME AND LOCATION					
. manages - Indianal II - II - II - II - II		15.0	ntv'		
A. EPA ID NO.	2 2 0		SUF	FOLK	
GEOMETRIC CIRCUITS, IN E. Street name and number. If not applicable, enter industrial park, buildi	IC.	r other physic	al location does	D. Has the the name associated with this EPA ID No.changed since 1996?	
11 MICHAEL AVENUE  F. City, Town, Village, etc.:				cipion.	
FARMINGDALE		G. 8	State: NY	H. Zip Code: [1   1   7   3   5   -	
Sec MAILING A	DDRE	SS OF SI	TE - Instru	ctions, Page 7	
A. Is the mailing address the same as the location address in "E" a		x		to section III)	
B. Number and street of mailing address:			2. 110 (90 10 1		
C. City, Town, Village. etc.:		D. 8	itate:	E. Zip Code:	
Sec NAME, TITLE AND TELEPHONE NU III ABOUT TH	MBER IS REP	OF PERS	ON WHO	SHOULD BE CONTACTED	
A. Last name First name	M.I.	B. Title:	Structions	C. Telephone:	
MEYER KURT	J.	SEC/T	RES	[5] 1] 6]   2  4  9  -  0  2  3  0	
Sec   GENERATO	OR STA	ATUS - In	structions	, Page 8	
A. 1997 RCRA generator status - Instructions, Page 8 (check one box be X)  1. LQG 2. SQG	elow)		4		
Sec ON SITE WASTE MANAC	GEMEN	T STATU	S - Instruc	tions, Page 9	
A. RCRA permitted or interim status storage:     Instructions, Page 9			В.	RCRA permitted or interim status treatment, disposal, or recycling: - instructions, Page 9	
1			1	1	
CEI  I certify under penalty of law that this document and all attendesigned to assure that qualified personnel properly gather who manage the system, or those persons directly respons knowledge and belief, true, accurate and complete. I am aw and Recovery Act for submitting false information, including	and evaluate and evaluate for grant and evaluate that the same that the	s were prepared water the information at the inform	ormation subn information, t inificant penal	mitted. Based on my inquiry of the person or persons the information submitted is to the best of my lities under section 3008 of the Resource Conservation	
Last name First name	M.I.	Title:			
MEYER KURT	J	SEC/	TRES	Date Signed: Old Old 98  Mo. Day Year	
Signature		*			

SITE NAME	GEOMETRIC CIRCUITS, INC.
EPA ID NO.	11 MICHAEL AVENUE FARMINGDALE  NEW YORK, 11735  N Y R 0 0 0 0 1 6 2 2 0



FORM GM

### N.Y.S.DEPARTMENTOF ENVIRONMENTAL CONSERVATION

1997 HAZARDOUS WASTE REPORT

WASTE GENERATION AND MANAGEMENT

Page :

of 4

		1		
Instructions: Read the detailed instructions beginni	ing on page 11 of	the Hazardous Was	te Report booklet before	completing this form.
A. Waste description: Instructions, page 12 Corrosive from Ion exchange treatment of from RCRA permitting.	ve Copper	bearing s	olution deri	boy
B. EPA hazardous waste code: Instructions, Page 13  D 0 0 2		New York State haza Instructions, Page	ardous waste code:	
D. SIC code:     Page 13       3   6   7   2	G. Poini Page		H. Form code: Page 14 B   1   0   4	I. RCRA Radioaclive mixed: Page 14
Instructions, Page 15 Instr., Page 15	Densily:	dispose on site, Instr. Page 15	do any of the following to recycle on site, or discha ntinue to On site process	arge to a sewer/POTW?
	os/gal. 2.sg.	2. No (Skip		s system 1)
ON-SITE PROCESS SYSTEM 1 On-site process system type:		SITE PROCESS SYST		
Instr., Page 16 Quantily treated, disposed of, or recycled on sit	le in 1997: Instr	sile process syslem b ., Page 16   M	ype: Quantity treated, dispose	ed of, or recycled on site in 1997:
Sec A. Was any of this waste shipped off site in 1997? III Instructions, Page 16	1. Yes (continue) 2. No (This form	lo Box "B") Is gow complete)		
III Instructions, Page 16		Is now complete)	e availability   E.Total quant str. Page 17   Instr., Page	ily shipped to this facility in 1997: 17
III Instructions, Page 16  Site Instr., Page 17  B. EPA ID Number of facility to which waste was shipped:  B. EPA ID Number of facility to which waste was shipped:	2. No (This form  C. System type shi	pped to: D. Off-Site code: In pped to: D. Off-Site	str. Page 17 Instr., Page	Illy shipped to this facility in 1997:
III Instructions, Page 16  Site B. EPA ID Number of facility to which waste was shipped:  Instr., Page 17	2. No (This form C. System type shi Instr., Peg	pped to: D. Off-Site code: In pped to: D. Off-Site	str. Page 17 Instr., Page	Illy shipped to this facility in 1997:
III Instructions, Page 16  Site 1  B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  B. EPA ID Number of facility to which waste was shipped: Instr., Page 17	C. System type shi	pped to: D. Off-Silt code: In:	e availability E.Total quan Instr., Page	tilly shipped to this facility in 1997:  1111
III Instructions, Page 16  Site Instr., Page 17  B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  B. EPA ID Number of facility to which waste was shipped:	2. No (This form  C. System type shinstr., Pag  M      C. System type shinstr., Page	pped to: D. Off-Silt code: In:	e availability E.Total quan Instr., Page	tilly shipped to this facility in 1997:  1111
III Instructions, Page 16  Site B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  B. EPA ID Number of facility to which waste was shipped: Instr., Page 17	C. System type shi Instr., Pag M C. System type shi Instr., Pag M C. System type shi Instr., Pag M C. System type shi Instr., Pag	pped to: D. Off-Silt code: In:	e availability E.Total quan Instr., Page	tilly shipped to this facility in 1997:  1111
III Instructions, Page 16  Site B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  B. EPA ID Number of facility to which waste was shipped: Instr., Page 17	C. System type shi Instr., Pag M C. System type shi Instr., Pag M C. System type shi Instr., Pag M C. System type shi Instr., Pag	pped to: D. Off-Silt code: In:	e availability E.Total quan Instr., Page	tilly shipped to this facility in 1997:  1111
III Instructions, Page 16  Site B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  Site Instr., Page 17	C. System type shi Instr., Pag M C. System type shi Instr., Pag M C. System type shi Instr., Pag M C. System type shi Instr., Pag	pped to: D. Off-Silt code: In:	e availability E.Total quan Instr., Page	tilly shipped to this facility in 1997:  1111
III Instructions, Page 16  Site B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  Site Instr., Page 17	C. System type shi Instr., Pag M C. System type shi Instr., Pag M C. System type shi Instr., Pag M C. System type shi Instr., Pag	pped to: D. Off-Silt code: In:	e availability E.Total quan Instr., Page	tilly shipped to this facility in 1997:  1111
III Instructions, Page 16  Site B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  B. EPA ID Number of facility to which waste was shipped: Instr., Page 17  Site Instr., Page 17	C. System type shi Instr., Pag M C. System type shi Instr., Pag M C. System type shi Instr., Pag M C. System type shi Instr., Pag	pped to: D. Off-Silt code: In:	e availability E.Total quan Instr., Page	tilly shipped to this facility in 1997:  1

SITE NAME	GEOMETRIC CIRCUITS, INC.
EPA ID NO.	11 MICHAEL AVENUE FARMINGDALE NEW YORK, 11735
EPA IU NO.	N Y R 0 0 0 0 1 6 2 2 0



FORM GM

## N.Y.S.DEPARTMENTOF ENVIRONMENTAL CONSERVATION

1997 HAZARDOUS WASTE REPORT

WASTE GENERATION AND MANAGEMENT

				•		
	Instructions: Read the detailed Instructions beginning on page	11 of the Hazard	ous Wasle Report be	noklet hefore completing this form		
Sec.	Instructions: Read the detailed instructions beginning on page 11 of the Hazardous Waste Report booklet before completing this form.  A. Waste description: Instructions, page 12 Corrosive Copper bearing liquid derived					
<u> </u>	from Ion exchange treatment of no	n hazardo	us wastewa	ter.		
			, 3			
B. EP/	A hazardous wasle code: nstructions, Page 13	C. New York	State hazardous waste	code:		
		Instructi	ons, Page 13			
		<u> </u>				
Pa	Dage 12 Page 14	G. Point of measurer Page 14				
L	3 6 7 2  System type: [M]   A 7 5		Page 14	Page 14		
Sec	A. Quantity of Hazardous Waste R HOM: Density					
11	generaled in 1997 Instructions, Page 15  B. UOM: Density: Instr., Page 15	dispose	this site do any of the e on site, recycle on age 15	s following to this waste: treat on site, site, or discharge to a sewer/POTW?		
Ľ	1. lbs/gal	2.sg.	Yes (continue to On No (Skip to Sec. III)	sile process syslem 1)		
-	ITE PROCESS SYSTEM 1	ON-SITE PROC	ESS SYSTEM 2			
Insti	sile process system lype: r., Page 16 Quantily treated, disposed of, or recycled on sile in 1997:	On-sile process Instr., Page 16	system type;	realed, disposed of, or recycled on site in 1997:		
	[M]	MI I				
Sec	A. Was any of this waste shipped off site in 1997? Instructions, Page 16	ontinue to Box "B")				
Ш		his form is now com	npiele)			
Sile		type shipped to:	D. Off-Site availability	E.Total quantity shipped to this facility in 1997:		
1		sir., Page 17 0   1   9	code: Instr. Page 17	Instr., Page 17		
	B EDAID Number of (c. 1111.1.		빌	[ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]		
Site		type shipped to: str., Page 17	D. Off-Sile availability code: Instr. Page 17	E.Total quantity shipped to this facility in 1997: Instr., Page 17		
2	NYD0774444263	0 1 9	11	[ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]		
Site		type shipped to:	D. Off-Site availability code: Instr. Page 17	E.Total quantity shipped to this facility in 1997: Instr., Page 17		
3			Ы			
Co	mments:					
		a .ee				
The solution was shipped off site for electrowinning						
system overhaul and maintenance.						
				!		
		*	· Pa	age3 of4		

SITE NAME	GEOMETRIC CIRCUITS, INC.	
	11 MICHAEL AVENUE FARMINGDALE	
EPA ID NO.	NEW YORK, 11735 NYR 000 016 220	
	NYR OOO O16 220	



ENVIRONMENTAL CONSERVATION

N.Y.S.DEPARTMENTOF

1997 HAZARDOUS WASTE REPORT

WASTE GENERATION AND MANAGEMENT

of <u>4</u>

Page \_

Γ	FORM
	GM

Instructions: Read the detailed Instructions beginning on page	e 11 of the Hazardous Waste Report booklet before completing this form.				
C	from Solder Dipping operation.				
B. EPA hazardous waste code: Instructions, Page 13  D 0 0 8	C. New York State hazardous waste code: Instructions, Page 13				
D. SIC code:     Page 13       3 6 7 2       System type:   M	G. Point of measurement: Page 14  B 2 0 6  I. RCRA Radioactive mixed: Page 14  2				
A. Quanlity of Hazardous Wasle generaled in 1997 instructions, Page 15  1 1 5 6 8 7 0 1 1. Ibs/gal.	C. Did this site do any of the following to this waste: treat on site, dispose on site, recycle on site, or discharge to a sewer/POTW? Instr. Page 15  1. Yes (continue to On site process system 1)				
ON-SITE PROCESS SYSTEM 1	X 2. No (Skip to Sec. III)				
On-sile process system type:	ON-SITE PROCESS SYSTEM 2 On-site process system type:				
Instr., Page 16 Quantity treated, disposed of, or recycled on site in 1997:	Instr., Page 16 Quantity treated, disposed of, or recycled on site in 1997:				
	<u>                                    </u>				
III I instructions, Fage to	continue to Box "B") This form is now complete)				
	n type shipped to: str., Page 17  O 6 1				
	type shipped to: D. Off-Site availability E.Total quantity shipped to this facility in 1997:				
Site   Instr., Page 17	istr., Page 17   code: Instr. Page 17   Instr., Page 17				
B. EPA ID Number of facility to which waste was shipped: Instr., Page 17 C. System	n type shipped to: str., Page 17  D. Off-Site availability code: Instr. Page 17  E.Total quantity shipped to this facility in 1997: Instr., Page 17				
3       M					
Comments:					
Flux Oil from Hot Air Solder leveling operation.					
This is the oil that the printed circuits are coated					
with and subsequently overflows from the solder wave.					

Limited Detail: 12/12/97 Page #: 1

\* \* \* LISTING OF HANDLER IDENTIFICATION DATA \* \* \*

\_\_\_\_\_\_ Handler Name / ID / Address S O N P Regulated Activities

\_\_\_\_\_ -----GEOMETRIC CIRCUITS INC 1 P SG

NYR000016220 11 MICHAEL AVE, FARMINGDALE

Source:

Low Income and Minority Score:

Mail Address: 11 MICHAEL AVE

FARMINGDALE NY 11735

NOTIF RECEIPT: 11/15/95 CMNTS:

NOTIF CONTACT: KURT MEYER, VICE PRES

(L) 11 MICHAEL AVE

FARMINGDALE NY 11735

PHONE: 516-249-0230

Current Owner: POL-ME REALTY

Address: 11 MICHAEL AVE

11735

FARMINGDALE NY 117
Phone: 516/249-0230 SQ: 0001 TYPE: P

BRS95 Waste Generated: D002 D008

BRS95 GM SIC Codes: 3672

\* \* \* \* \* END OF REPORT

### JUL 02 1998

Kurt Meyer Vice-President of Geometric Circuits 11 Michael Avenue Farmingdale, New York 11735

Re: EPA ID No. NYD 000 016 220

Dear Mr. Meyer:

Your submittal dated April 23, 1998, in response to the U.S. Environmental Protection Agency's (EPA) RCRA Notice of Violation, has been deemed satisfactory. Your facility has been entered in our Data Management System as having achieved physical compliance with the violation cited in the above referenced letter. This matter can now be considered concluded and the enforcement action resolved.

Please be advised your facility is under the continuing obligation to comply with all the applicable state and federal regulations regarding the management of hazardous waste. Subsequently, if your facility should be found in violation of the regulation in the future, you may be subject to escalated enforcement action, including monetary penalties.

If you have any questions, direct them to me at (212) 637-4158.

Sincerely,

Claudia J. Gutierrez Environmental Scientist



4/23/98

Claudia J. Gutierrez
RCRA Compliance Branch
Division Of Enforcement and Compliance Assistance
U.S. Environmental Protection Agency - Region 2
290 Broadway, 22nd Floor
New York, New York 10007

Dear Ms. Gutierrez,

Enclosed please find the documentation required.

- 1. 6NYCRR 373-1.1(d)(iii)(c)(3): We labeled and identified the area indicating Hazardous Waste.
- 2. 6NYCRR 373-1.1(d)(1)(iv): All chemicals are stored within Suffolk County Health Departments Article 12. The only time they are not is for shipping and receiving purposes.
- 3. 6NYCRR 373-1.1(d)(1)(iii): Copy of weekly log sheet is enclosed.
- 4. 6NYCRR 373-1.1(d)(1)(iii): Copy of training and job description is enclosed.
- 5. 6NYCRR 373-1.1(d)(1)(iii): Copy of updated contingency plan enclosed.

If there are any problems please do not hesitate to call.

Sincerely,

Secretary

Geometric Circuits, Inc.

Enclosures



#### Contingency Plan Review

Review Date 4/2/98	<u>changes</u>	<u>Yes</u> <u>No</u> ✓	Signature Aul Cat
			John Salvador
		•	



#### CONTINGENCY PLAN AND EMERGENCY PROCEDURES

This plan is designed to minimize hazards to human health, or the environment.

#### **IMPLEMENTATION**

This plan must be put into action in the event of fire, explosion, any unplanned sudden, or non-sudden release of hazardous waste to the air, soil, or surface water.

#### CONTENT OF THE PLAN

- 1. List of Emergency Coordinators
- 2. List of Emergency Equipment
- 3. Emergency Procedures
- 4. Building Layout
- 5. Evacuation Routes
- 6. Operations Shutdown
- 7. Head Count Meeting Point
- 8. Rescue and Medical Duties
- 9. Training
- 10. Warden



#### EMERGENCY COORDINATORS

Primary Emergency Coordinator JOHN POLLINA, President 8 Ada Lane East Setauket, NY 11733 (516) 246-5685 30 miles distance from plant

1st Assistant Emergency Coordinator BOB KAHL 1013 S. Thompson Drive Bayshore, NY 11706 (516) 665-0834 9 miles distance from plant

2nd Assistant Emergency Coordinator ROY MASER 15 Burkeland Lane Hicksville, NY 11801 (516) 822-5278 8 miles distance from plant

#### Warden

KURT MEYER (516) 584-6084 JOHN SALVADOR (516) 789-2328 PHIL CATE (516) 281-7553

#### EMERGENCY EQUIPMENT

#### Alarm System:

For fire and burglary, connected to central station. Fire sensors located on the ceilings in every manufacturing room, storage and boiler room
All doors have magnetic contact sensors
All windows have shade sensors
All hallways have motion sensors.

#### FIRE EXTINGUISHERS

Type A,B,C Dry chemical located throughout the facility, Fire Pull Alarm (See Floor Plan).



#### Emergency Procedures

#### The coordinator shall:

- 1. Instruct all personnel to their proper stations or exit routes using the PA System.
- 2. Notify appropriate state or local authorities if necessary.
- 3. Evaluate the release, quantity, source, and area of extent of the released hazardous material.
- 4. Evaluate the possibility of hazards to human health or the environment outside the facility.
- 5. If local evacuation is advisable, contact local authorities and remain available to their assistance.
- 6. Immediately call the 24 hour Oil and Hazardous Material Spill notification number (518) 457-7362, and the National Response Center 800-424-8802.
  - (a) State your name and telephone number.
  - (b) State name and location of facility:
    Geometric Circuits, Inc.
    11 Michael Avenue
    Farmingdale, NY 11735
    (516) 249-0230
  - (c) Time and type of incident (e.g. fire, explosion)
  - (d) State type of material and quantity to extent known
  - (e) State injuries, if any
  - (f) State your assessment of possibility of hazards to human health, or the environment outside the facility.
- 7. Immediately after an emergency, the emergency coordinator must provide for treating, storing, or disposing of recovered waste, contaminated soil or surface water, or any other material that results from a release, fire, or explosion at the facility.
- 8. Operations shutdown, instruct designated personnel to disconnect electrical supply, air, water or which ever is necessary for a particular emergency. Only personnel familiar with the operation and utility supply should be used.



#### Head Count and Meeting Point

All employees, with the exception of the emergency response team and personnel performing shutdown, will meet outside the building in a designated area leaving enough distance to ensure everyone's safety. The meeting point may be at various locations depending on the emergency and location of the emergency. A head count is to be performed by the plant manager as soon as possible to ensure that all persons are accounted for. Any person believed to be missing must be reported at once.

#### Rescue and Medical Duties

Various types of medical emergencies may arise where immediate treatment is required. This may be the case in chemical burns over the body or a severe cut, where a drench shower, eye wash or first aid kit is used. The person then can be transported by car or ambulance to Brunswick Hospital for treatment. With injuries where movement is not recommended call EMS at once.

#### Communications

It is important to have adequate lines of communication available for emergencies. This includes the use of internal speaker system for internal use, phone, fire pull alarm, CB or cellular phone for outside communication.

#### Training

Training for all employees will be conducted and supervised by the Wardens. The discussions will include:

- 1. Evacuation plans how to best get out of the building or the area effected.
- 2. Alarm system how it functions and the location of detectors and manual activators
- 3. Meeting point and reporting procedure for personnel.
- 4. Shutdown procedure how to go about turning off equipment, power and water.
- 5. Types of potential emergencies from small accidental chemical spills to fire and explosion.



The training will be on an annual basis for all employees, changes to the plan or equipment and process changes may alter the schedule. After the emergency drill differences of the plan should be discussed with all employees. Recommendations will be incorporated and the plan will be updated.

#### Warden

It is the wardens responsibility to maintain and update the plan, conduct drills and institute training.



#### Contingency Plan Training

DATE _				
CLASS	INSTRUCTOR _			
ATTTEI	PRINT NDEES:	NAME	SIGNATURE	DEPT.



#### Job Description and Training Guidelines

Position: Waste Treatment Technician

Job Description: Daily operation of Waste Treatment System

and Monitoring.

Maintaining hazardous waste for removal

and loading for removal.

Training Requirements: Operator must be trained in

accordance with 6NYCRR Subpart 373-3

(g).

Operator will receive or have had minimum training to adequately perform the job description including training listed in Hazardous Communication Program.

This training will be continued on an annual basis.



#### HAZARD COMMUNICATION PROGRAM

#### 1. Purpose

The purpose of this hazard communication program is to inform Geometric Circuit employees of known hazards that may exist in the workplace.

#### 2. Application

This program applies to chemicals known to be present in the workplace in such a manner that employees may be exposed under normal conditions, non-routine tasks, or foreseeable emergencies.

#### 3. Program Summary

The major elements of this program are as follows:

- a) Labels and other forms of warning
- b) Material Safety Data Sheets (MSDS) from suppliers
- c) Employee information and training
- d) list of hazardous chemicals known to be present in the workplace
- e) Methods for informing employees of hazards of non-routine tasks
- f) Methods for informing contractor employers of hazards their employees may be exposed to while working in the Geometric Circuits plant

#### 4. Labels and Other Forms of Warning

- a) Each container of hazardous chemicals shall be labeled, tagged, or otherwise marked with:
- 1. the identity of the hazardous chemical (or chemicals), and,
- 2. appropriate hazard warnings
- b) Labels and other forms of warning will be legible and in English, and will be prominently displayed or readily available in the work area during each shift.

#### 5. Material Safety Data Sheet

A material safety data sheet (MSDS) will be kept for each hazardous chemical known to be present in the workplace. Material safety data sheets are kept in the cafeteria and are readily accessible by employees during each work shift.

The Plating Department Manager is responsible for maintaining the MSDS in a complete and up-to-date manner.

When work is shipped to customers, copies of MSDS for any known hazardous chemicals include as part of the products shipped will be passed along to the customer.

#### 6. Training & Information

- a) Employees shall be trained according to a written hazard communication training plan that is part of the company's overall hazard communication program.
- b) Training shall extend to non-routine tasks, as necessary, and to foreseeable emergencies.
- c) When contractor employees are required to work in our plant, the contractor employee will be advised of the provisions of our company's hazard communication program. Contractor employees shall be provided ready access to the MSDS and list of hazardous materials.

#### 7. Revisions

This program will be amended as changes in work operations, new materials or processes, or new information dictate.



## LIST OF HAZARDOUS CHEMICALS KNOWN TO BE PRESENT

Note: A Material Safety Data Sheets (MSDS) is on file for each substance on this list. Details of specific physical and health hazards as well as protective measures can be found on the MSDS for individual chemicals.

Substance	Supplier/Source	Comments
Sulfuric Acid Sodium Persulfate Sodium Hydroxide Tin Stripper Nitric Acid Nickel Sulfate Sodium Hypochloride Hydrogen Peroxide Nickel Carbonate Developer Flux Sodium Sulfite Ammonium Acetate Methyl Orange Hydrochloric Acid Potassium Permaganate Phosphoric Acid Sodium Hydroxide Gold Salts Tin Replenisher Copper Gleam Pattern Prep 36 Potassium Iodide Sodium Thiosulfate Ethonol Anhydrous PH Buffer Solution	Acro Chemical RonaTech Acro Chemical Jam Chemical Acro Chemical RonaTech RonaTech RonaTech Morton International RFE Industries VWR	Plating Dept. Lab Dept. Lab



## **GEOMETRIC CIRCUITS, INC.**Manufacturers of Printed Circuit Boards

6NYCRR Subpart 373-3 (g)(iv)
Training and Qualification

Hazardous Waste Management

Name: JErome Speller, CE. F Age: 34 yrs 010

Qualifications:

1) June, 1987-8hr HAZAR DOUS Waste MgT.
Applicable To U.S. D.O.T., E.P.A., DSHA,
NASSAU And Suffolk County (Ny) Health Codes.
2) July, 1988-40 hr WASTE SITE
Worker/IndusTriAL Hygeine Training
O.S.H.A 1910,120 (E)(2)
3) NOV. 1991- June 1992 - BASIC and Advanced
Electroplating Course
4) July 1992 - American Electroplaters and Surface
Finishers Society (A.E.S.F) Certification as A
Certified Electroplater-Finisher (C.E.F).
14 VIS HADACDOUS WASTE MOT SUDOCIOLAR
9 yrs Electroplating And Surface Finishing Experience, (7 yrs As A Certified Electroplater-Finisher).  Pollution Control Engineer
(Tyrs As A Certified Electroplater- Finisher).
Poll T
rollulian Controllingineer



6NYCRR Subpart 373-3 (g)(iv)
Training and Qualification

Hazardous Waste Management

Name: Jetome Speller, CEF Age: 34
Qualifications: Cont. from page 1
October 1994 MYSDEC Treatment of
October 1994 NYSDEC Treatment of Electroplating and Metal firmishing Waster 15.5 Contact hrs.
15.5 Contact hrs.

## 6 NYCRR 373-1.1(d)(1)(iii):373-3.9(e) Chemical Container and Storage Area Inspection Log

## Inspect Weekly

Inspect Containers for damage or leaks. Inspect containment area for deteriation.

				Inspected By	
Date	Container Leaks	Containment Det.	Comments	Inspected By (Print)	Signature
					5) 19
				,	
	<u> </u>			1	
			-		

### MAR 11 1998

#### <u>CERTIFIED MAIL</u> RETURN RECEIPT REQUESTED

Kurt Meyer Vice-President Geometric Circuits, Inc. 11 Michael Avenue Farmingdale, New York 11735

Re:

**Notice of Violation** 

Geometric Circuits

EPA I.D. No. NYD 000 016 220

Dear Mr. Meyer:

This Notice of Violation is issued pursuant to Section 3008 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984, 42 U.S.C. §§ 6901, 6928.

Pursuant to RCRA, as amended by HSWA, the U. S. Environmental Protection Agency (EPA) promulgated rules, regulations, and standards governing the handling and management of hazardous waste as set forth in 40 C.F.R. Parts 260-272.

For the purposes of this Notice of Violation, the hazardous waste regulations governing the generation of hazardous waste were promulgated in 1980 and amended by HSWA in 1984.

The State of New York is authorized by EPA to conduct a hazardous waste program under Section 3006 of RCRA, 42 U.S.C. § 6926 and is authorized to enforce RCRA. EPA has retained its authority to enforce the hazardous waste rules and regulations in the State of New York.

On or about **November 11, 1995**, EPA received notification from Geometric Circuits that it conducts a business involving hazardous waste activity, in particular, the generation of hazardous waste at its facility in Farmingdale, New York. From a review of manifests, it has been determined that the facility generated over 1000 kilograms of hazardous waste per month and is therefore a Large Quantity Generator (LQG).

On or about **January 21, 1998**, pursuant to Section 3007 of RCRA, 42 U.S.C. § 6927, a duly authorized representative of EPA conducted a RCRA Hazardous Waste Compliance Evaluation Inspection (CEI) of Geometric Circuits Inc. As a result of the CEI (inspection checklist is attached), the following violations of the RCRA regulations were found.

- 1. 6 NYCRR 373-1.1(d)(iii)(C)(3): requires that an area used to accumulate Hazardous Waste must be identified by a label or sign stating Hazardous Waste. Geometric Circuit Inc. failed to mark the area used to accumulate Hazardous Waste with a label or sign stating Hazardous Waste. This is a violation of 6 NYCRR 373-1.1(d)(iii)(C)(3).
- 2. 6 NYCRR 373-1.1(d)(1)(iv): This requires that Large Quantity Generators (LQGs) of hazardous waste located in an area of an Aquifer System storing 185 gallons of liquid hazardous waste, must maintain any container storage areas within a secondary containment system designed and operated in accordance with 373-2.9(f). Geometric respondent's failure to maintain the facility's container storage areas within a secondary containment system meeting the requirements of 373-2.9(f) constitutes a violation of 6 NYCRR 373-1.1(d)(iv): 373-2.9(f).
- 3. 6 NYCRR 373-1.1(d)(1)(iii): 373-3.9(e) states that at least weekly, a Large Quantity Generator (LQG) must inspect areas where containers are stored, looking for leaking containers and for deterioration of containers and the containment system caused by corrosion and other factors. Geometric Circuit Inc.'s failure to conduct weekly inspections of the container storage areas, as required in 373-3.9(e), is a violation of 6 NYCRR 373-1.1(d)(1)(iii) 373-3.9(e).
- 4. 6 NYCRR 373-1.1(d)(1)(iii): 373-3.2(g) states that a Large Quantity Generator (LQG), must conduct training and maintain training documents and records of personnel at a facility handling hazardous waste which complies with this part (the "training program"). The owner or operator must ensure that the training program includes all the elements described in the document required under 6 NYCRR 373-3.2(g). Geometric Circuits Inc.'s failure to provide training and maintain documents and records of personnel that handle hazardous waste, as required in 373-3.2(g), is a violation of 6 NYCRR 373-1.1(d)(1)(iii) 373-3.2(g).
- 5. 6 NYCRR 373-1.1(d)(1)(iii): 373-3.4(e) require a Large Quantity Generator (LQG) to have a contingency plan for the facility. The contingency plan must be updated if any changes occur as detailed in 6 NYCRR 373-3.4(e). Geometric Circuits Inc.'s failure to indicate the phone numbers and names of the actual people on call for an emergency, indicates that the contingency plan was not updated. This is a violation of 6 NYCRR 373-1.1(d)(1)(iii): 373-3.4(e).

If you have not already done so, you must take immediate action to correct the violations described above. Please submit, within thirty (30) days of the receipt of this correspondence, a response which includes [1] a description of the actions you have taken to correct the violations noted above, and [2] documentation that the violations have been corrected. Please submit the documentation required to:

Claudia J. Gutierrez
RCRA Compliance Branch
Division of Enforcement and Compliance Assistance
U.S. Environmental Protection Agency - Region 2
290 Broadway, 22nd Floor
New York, New York 10007

Failure to comply and submit the documentation requested in this Notice of Violation may subject you and/or your company to the enforcement provisions of Section 3008 of RCRA, 42 U.S.C. § 6928.

If you have any questions regarding this matter, please contact Claudia Gutierrez at (212) 637-4158.

Sincerely yours,

George C. Meyer, P.E., Chief Hazardous Waste Compliance Branch

cc: Salvatore Carlomagno, Supervisor

Hazardous Waste Compliance Section

New York State Department of Environmental Conservation

bcc: Marianna Dominguez, HWCS

Claudia Gutierrez, HWCS

RCRA Inspection Report Geometric Circuits Inc. 11 Michael Avenue Farmingdale, NY 11735 Telephone 516.249.0230

**Vice-President/Owner:** 

**Senior Inspector:** 

Trainee:

Date:

**EPA Handler ID #:** 

Reason for Inspection: Type of Inspection: Kurt J. Meyer

Mariana Dominguez

Claudia Gutierrez

January 21, 1998

NYR 000 016 220

Sole Source Aquifer Initiative

Compliance Evaluation Inspection

### **Background:**

This facility is a manufacture of printed circuit boards. There are two types of boards they manufacture: Double sided and Multi-Layer boards. They currently employ approximately 20 people. The property is located in a one story building in an Industrial Park of Farmingdale. Geometric Circuits is the current owner of the facility. They are listed as a RCRA Large Quantity Generator (LQG). The facility generates approximately 25,000 lbs. yearly. This facility was inspected as part of the Sole Source Aquifer Initiative.

### **Facility Operations**

Geometric Circuits has been in operation since 1967. First, it was operating in West Babylon under ID No. NYD 082 788 126. They manufacture printed circuit boards with one P C Board source for the company's prototype, pilot and production requirements. Because of the use of one prototype, the process steps are the same for all circuit board requirements. This ability to produce prototype and production in the same facility through the same process steps allows for a smooth transition from prototype production. The currently have an advance computerized system, including US Robotics Hardware at a modem of 14,000 baud rate. Their board drilling operations is Pluritec Multi station which is a totally automatic drilling system with loading and unloading capabilities. Four modules can run different or the same jobs. This equipment is found high in accuracy and repeatability. Their fabrication equipment includes: multiple driller routers, a semi-automatic beveler, an edge trimmer/beveler, a punch press-80 (metric) ton capacity with nitrogen stripper and circuit board cleaner. Their Graphics Department consists of all necessary equipment to run images including an UV exposing unit which does not use silver emulsion to meet environmental requirements. Plating is conducted and they have the following equipment: one semi-automatic hoist, one somaca dryer, one TNT computerized automatic copper and tin line, one automatic nickel gold tab plated with loader and unloader, one inline resin stripper, etcher and tin stripper, one post washer, one chemcut conveyorized chemical cleaning system, one atomic absorption spectrophotometer and one depp tank nickel-gold line. Furthermore, they have a Computer Aided Design and a Quality Control department with all the equipment necessary for their operations.

### **Hazardous Waste Generation**

There are two different types of hazardous waste generation at this facility. The following applies:

• **D002-** At this facility, they do electroplating and etching as part of their daily activities. During this process, an ammonia base solution and or ammonia hydrochloride are used. The 1997 quantities of this waste amount to 20,000 lbs., (based on NYS Manifest Information).

• **D008** - At this facility, this waste is generated through the use of lead and copper in the manufacturing of the circuit boards. It was estimated that for 1997, this waste amounted to 5,600 lbs., (NYS Manifest).

### **Document Review**

Some deficiencies were found when we reviewed all documents. There were no training records available at the facility. The contingency plans available did not have all the contacts and phone numbers properly updated. The names that were on the list, were not the people that were on call if an emergency occurred.

### **Interview**

An opening conference was held between Mr. Meyer and us. We discussed the generator requirements under RCRA, the facility operations, and the nature of our inspection. At this point the we were taken on a short facility tour by Mr. Meyer. This tour was followed by a closing interview, explaining our findings in general. Furthermore, a multi-media checklist was filled out.

### **Tour of the Facility**

Upon reviewing the data, Mr. Meyer gave us a tour of the facility. While touring the facility, we observed there was no "Hazardous Waste" labeled area. Furthermore, there was no secondary containment for the Hazardous Waste area. While touring the facility, we did not observe any tanks or containers containing hazardous waste in the storage area or throughout the facility. The company stores hazardous waste in containers prior to shipment for off-site treatment disposal. According to the manifest data, the waste had been picked up two days prior to the inspection.

### **Violations**

The following specific violations and concerns were noted during the inspection:

- No labeling of storage area as "Hazardous Waste Storage Area" as per NYCRR Part 373-1.1(iii)(c)(3).
- No Secondary containment for the "Hazardous Waste Storage Area" as per NYCRR Part 373-1.1(d)(iv): 373-2.9(f).
- No weekly inspections for the area of "Hazardous Waste" as per 6 NYCRR 373-3.9(e).
- No Personnel training records as per 6 NYCRR 373-3.2(g).
- Contingency Plan not updated as per 6 NYCRR 373-3.9(e).

### Recommendations

A notice of violation will be sent to the owner of the facility.

### **Attachments:**

RCRIS report on facility, NY State manifest listing, Multimedia Checklist, Notice of Violation, and referral to the Air Compliance Branch.

Claudia J. Gutierrez Date

Training Inspector

Prepared for:

Region:

SQG GENERATOR **TSDF** OTHER

**CESQG** UNANNOUNCED ANNOUNCED

## NEW YORK STATE INDUSTRIAL HAZARDOUS WASTE MANAGEMENT ACT (Chapter 639, Laws of 1978)

Prepared for:	Commissione NEW YORK ST	r ATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Compli 50 Wo	ion of Hazar	
EPA I.D. NUMBER:	NYDO	010/6220
COMPANY NAME (Cor	rporate):	GEOMETRIC CIRCUITS INC.
(Div	/ision):	
COMPANY MAILING AD	DRESS:	11 MICHAEL AVENUE.
*		
City &	State	FARMINGDALE, NY Zip Code //735
COMPANY LOCATION A	DDRESS:	SAME AS ABOVE
(if different than	mailing)	
City &	State	, NY Zip Code
COMPANY TELEPHONE	NUMBER:	( <u>616</u> ) <u>249.0230</u> Extension
FULL NAME OF COMPA		KURT J. MEYER
TITLE OF COMPANY C	ONTACT:	IICE-PRESIDEXIT
INSPECTION DATE:	<u> 2/ 12/ /</u> 19	98 TIME OF INSPECTION:(a.m.) 1:00(p.m.)
INSPECTOR'S NAME:	MARIAN	NA Dominguez
NAME:	Claudia	J. Goherrez
REPORT PREPARED BY	: Claudia	A J. Gulierrez DATE:
PEPORT APPROVED RY		DATE



## TABLE OF CONTENTS

		<u>Page</u> No.
: I	General Information and Classification of Facility	
	<ol> <li>Identification of Hazardous Waste</li> <li>Exemptions</li> <li>Hazardous Waste Generation/Treatment/Storage/Disposal</li> <li>Status Identification</li> </ol>	I-1 I-2 I-5 I-7
II	Comments, Conclusions and Recommendations (Not for release to company, protected information)	II-1
	Generator, TSDF and Transporter Requirements	
(Circ	le and attach Parts III through VII and Appendices A through S	
III IV IV-A	CESQG - Conditionally Exempt Small Quantity Generator SQG - Small Quantity Generator Secondary Containment Requirements for Tanks over a	III-1 IV-1 IV-A-1
VI VI VII	LQG - Large Quantity Generator Interim Status Treatment, Storage and Disposal Facility Transporter Terminal	V-1 VI-1 VII-1
	II  (Circ as a)  III IV IV-A	1. Identification of Hazardous Waste 2. Exemptions 3. Hazardous Waste Generation/Treatment/Storage/Disposal 4. Status Identification  II Comments, Conclusions and Recommendations (Not for release to company, protected information)  Generator, TSDF and Transporter Requirements  (Circle and attach Parts III through VII and Appendices A through S as applicable)  III CESQG - Conditionally Exempt Small Quantity Generator IV SQG - Small Quantity Generator IV-A Secondary Containment Requirements for Tanks over a Sole Source Aquifer  V LQG - Large Quantity Generator Interim Status Treatment, Storage and Disposal Facility

# <u>APPENDICES</u>

Appendix A Appendix B Appendix C Appendix D Appendix E Appendix F Appendix G Appendix H Appendix I Appendix J Appendix K Appendix L Appendix M Appendix N Appendix N Appendix O Appendix P Appendix Q	Land Disposal Restrictions - SQG & Generator Land Disposal Restrictions - TSDF Permitted Facility Inspection Consent Order Follow-up Inspection Requirements for Tanks Elementary Neutralization Units/Wastewater Treatment Units Requirements for Specific Hazardous Wastes Closure/Post Closure Inspection Waste Piles Surface Impoundments Incinerators and Energy Recovery Facilities Secure Landburial Facilities Thermal Treatment Chemical, Physical and Biological Treatment Underground Injection Land Treatment Groundwater Monitoring
	· · · · · · · · · · · · · · · · · · ·

# General Information and Classification of Facility

<u>Id</u>	entification of Hazardous Waste - 371 Yes No
Α.	
	(1) Company filed a RCRA hazardous waste notification and/or Part A of RCRA permit application.
	(2) Company has used knowledge of the hazardous characteristic of the waste to determine if it is hazardous.
	(3)Testing has shown characteristics of:
	( ) Ignitability (D001) - 371.3(b) ( ) Corrosivity (D002) - 371.3(c) ( ) Reactivity (D003) - 371.3(d) ( ) Toxicity (D004 - 043) - 371.3(e)
	(4) The material is listed in the regulations as a hazardous waste from non-specific sources (F-Waste). 371.4(b).
	(5) The waste is listed in the regulations as a hazardous waste from specific sources (K-Waste). 371.4(c).
	(6) The material is listed in the regulations as an acute hazardous waste (P-Waste). 371.4(d)(5).
	The material or product is listed in the regulations as a discarded commercial chemical product, off-specification species or manufacturing chemical intermediate (U-Waste). 371.4(d)(6).
	(8) The material is listed in the regulations as a waste containing PCBs (B-Waste). 371.4(e).
•	The company notified EPA as a:
	LAKGIE QUANTITY GRENTERATOR

	С.	If the facility is a treatment, storage or disposal facility, have they:
		Submitted a Part A application.
		Should the Part A be modified by the Company? If so, explain.
		Submitted a Part 373 permit application.
		Been granted a Part B permit.* expiration date:
		Been granted a Part 373 permit or operating under SAPA with a Part 360 permit.* expiration date:
	ās.	*Complete Appendix C - indicate compliance status with permit conditions.
	D.	Is the facility operating under a consent order?**
		Have they signed a consent order to resolve violations found during a previous inspection?**
	ž	**Complete Appendix D and indicate compliance with $\underline{each}$ condition of the order.
2.	Exe	mptions
	Α.	Generator Exemptions · N
		(1) Not a regulated handler because:
		(a) Never generated any hazardous waste.
		(b) No hazardous waste generated within the last 3 years.
		(c) Company moved in to (location)
		(d) Company out-of-business.
		(e) Company sold to  (new owner)
		(2) Samples collected for testing - 372.1(e)(5).
		(3) Residues of hazardous waste in empty containers -
	r. ge x	372.1(e)(6).
		A hazardous waste which is generated in a product or raw material storage tank, a product or raw material transport vehicle or vessel, a product or raw material pipeline, or in a manufacturing process unit or an associated non-waste treatment manufacturing unit is not subject to regulation until it exits the unit in which it was generated, unless the unit is a surface impoundment,

or unless the hazardous waste remains in the unit more than 90 days after the unit ceases to be operated for manufacturing, or for storage or transportation of product or raw materials -372.1(e)(7)(i).

### B. TSD Exemptions

- (1) ✓ Storage of hazardous waste that is generated on-site in containers or tanks for a period not exceeding 90 days. Other than the storage of liquid hazardous waste over the designated sole source aquifers 373-1.1(d)(1)(iii).
- (2) Storage in containers or tanks of liquid hazardous waste generated on-site over the designated sole source aquifers for a period not exceeding 90 days. These storage areas must comply with the requirements of this exemption whenever any quantity of liquid hazardous waste is stored in tanks, or whenever the total quantity of liquid hazardous waste stored on-site in containers exceeds 185 gallons 373-1.1(d)(1)(iv).
- The on-site storage and treatment of hazardous waste by generators that generate less than 100 kilograms of hazardous waste in any calendar month and store less than 1,000 kilograms. The conditionally exempt small quantity generator requirements listed in subdivision 371.1(f) of this Title remain applicable. If at any time the amount of hazardous waste exceeds 1,000 kilograms, this exemption does not apply. This exemption applies to the on-site storage and treatment of acute hazardous wastes only if the generator generates and stores in any calendar month such acute hazardous waste in quantities less than those listed in 373-1.1(d)(1)(i)(b) of this paragraph 373-1.1(d)(1)(v).
- The storage and recycling of the recyclable materials identified in subparagraphs 371.1(g)(1)(iii) and (iv) of this Title - 373-1.1(d)(1)(vi).
- The storage of the following recyclable materials is exempt from permitting provided that Subpart 374-1 is complied with. (NOTE: Subpart 374-1 will require that the facility also complies with selected sections of this Part.) 373-1.1(d)(1)(vii):
  - (a) \_\_\_ recyclable materials used in a manner constituting disposal (see section 374-1.3);
  - (b) \_\_\_\_ hazardous wastes burned for energy recovery in boilers and industrial furnaces that are not regulated under section 373-2.15 or 373-3.15 of this Title (see section 374-1.8);
  - (c) \_\_\_\_ recyclable materials from which precious metals are reclaimed (see section 374-1.6);
  - (d)  $\_\_$  spent lead-acid batteries that are being reclaimed (see section 374-1.7).
- (6) \_\_\_\_ The recycling of hazardous wastes is exempt from permitting provided 373-2.2(c) (identification number), 372.4(b) (use of manifest system), 372.4(d)(1) (manifest discrepancies) and

I-3

clause  $3/3-1.1(d)(1)(viii)(\underline{d})$  are complied with. (Storage of hazardous waste prior to recycling is not exempt under this subparagraph.) In addition: 373-1.1(d)(1)(viii):

- (a) \_\_\_ This exemption is available to:
  - $(\underline{1})$  Commercial facilities that reclaim precious metals, as defined in 374-1.6 of this Title;
  - (2) \_\_\_\_ Mobile or transportable commercial facilities which operate on the generator's site, if a containment area, meeting the requirements of 373-2.9(f), is provided for the reclaiming facility and any associated, temporary container holding or storage area.
- (b) \_\_\_\_ This exemption is <u>not</u> available to any units, other than boilers and industrial furnaces, that burn hazardous wastes for energy recovery.
- (c) \_\_\_\_ Exempted processes that recycle the hazardous wastes listed in 2B(5)(a-d) must comply with Part 374 of this Title in lieu of the requirements specified in this subparagraph. (Note: Part 374 will require that the facility also complies with selected sections of this Part.)
- Owners or operators of facilities subject to RCRA permitting requirements with hazardous waste management units that recycle hazardous waste are subject to the requirements of sections 373-2.27, 373-2.28, 373-3.27 and 373-3.28 of this Part.
- The on-site treatment of hazardous waste, by the generator, in the same tanks or containers used for accumulation and storage is exempt provided the generator complies with Part 373-1.1(d)(1)(iii) and (iv) and Part 372.2(c)(4). Any treatment or placement of hazardous waste in a manner that constitutes land disposal, as defined in subdivision 370.2(b), does not qualify for this exemption 373-1.1(d)(1)(ix).
- (8) \_\_\_ Totally enclosed treatment facility 373-1.1(d)(1)(xi).
- Elementary neutralization units or wastewater treatment units, as defined in Part 370 of this Title, other than units that are part of commercial hazardous waste management facilities as defined in Part 370 of this Title. Elementary neutralization units and wastewater treatment units located at commercial hazardous waste management facilities that are only used to neutralize or treat hazardous waste resulting from the recycling of hazardous wastes or from the reclamation of precious metals from hazardous wastes are also exempt. Elementary neutralization units and wastewater treatment units that are used to commercially neutralize or treat hazardous wastes, generated only at geographically continuous sites, and transported via dedicated pipeline are also exempt 373-1.1(d)(1)(xii).

I-4

	(10) Accumulation areas are exempt, provided that they are used to accumulate waste in accordance with the requirements of subparagraph 372.2(a)(8)(i) of this Title - 373-1.1(d)(1)(xiv).
	(11) A transporter storing manifested shipments of hazardous waste in containers meeting the requirements of paragraph 372.2(a)(4) of this Title at a transfer facility for a period of ten calendar days or less is exempt, provided that the transfer facility is not located on the site of any commercia hazardous waste treatment, storage or disposal facility subject to permitting under this Part. Complete Part VII - 373-1.1(d)(1)(xi).
Haz	ardous Waste Generation/Treatment/Storage/Disposal
Α.	Describe only the activities that result in the generation of hazardous waste. Include manufacturing processes that generate hazardous waste. [Do not include hazardous waste treatment processes.]
	multilayer and double sided
	multinger and double stoled
В.	Describe any on-site hazardous waste treatment processes that result in the generation of hazardous waste (exempt and/or non-exempt). Include process diagrams if available.
	SEE INSPECTION REPORT
^	
	Identify the hazardous wastes that are on-site, the quantity of each, the storage method, the type and size of containers or tanks used and their location in the storage area. (Be as specific as possible.)
	(1) Accumulation Areas [NOTE: Waste in accumulation areas must be included as part of the total quantity of waste on-site]:
	NO WASTE ON SITE AT
	THE TIME of the inspection

3.

· ·		Areas for CESQG, SQG or Generator*	
•	, • • •		
	NONe	) "	
) -	Tank Storage Areas	s for CESQG,SQG or Generator*	
) <del>-</del>	"MON	e ''	
•			
-			
7	* CESQG -	unlimited storage time provided less t 1,000 kg is stored on-site.	tha
	SQG -	180 days (or 270 if TSD is over 200 miaway) and less than 6,000 kg is stored on-site.	ile d
	Generator -	90 days or less storage.	
	v.	¥	
) ]	Interim Status/Per	rmitted Container Storage Areas:	
-	s		
	(000-10-070)	R	
_	GENERATOR		_
_	PNATATO		
-	- ENGAIO		
-	- ENGAIO		
-		rmitted Tank Storage Areas:	
- - - -			
-			
- - - 1			
- - - - -			

		(6)	Any other treatment, storage or disposal units such as lagoons, surface impoundments, landfills, waste piles, incinerators, energy recovery units, or underground injection units:
			·
			NA
		8 g	
		٠.	
		Š	
4.	<u>St</u>	atus I	dentification:
	Α.	Gene	rator Status
		(1)	Conditionally Exempt Small Quantity Generator (CESQG) - generates less than 100 kg/mo of non-acute hazardous waste or 1 kg/mo of acute hazardous waste. Complete Part III - 372.1(f)(6), 371.1(f)(7).
		(2) _	Small Quantity Generator (SQG) - generates more than 100 kg/mo but less than 1,000 kg/mo of non-acute hazardous, and accumulates no more than 6,000 kg of non-acute hazardous waste on-site. Complete Part IV - 372.2(a)(8)(iii).
		(3) <u>^</u>	Generator - generates more than 1,000 kg/mo of non-acute hazardous waste or generates more than 1 kg of acute hazardous waste in a calendar month. Complete Part V - 372.2(a)(8)(ii).
	В.	Treat	ment, Storage or Disposal Facility (TSDF)
		(1) _	Hazardous waste is stored greater than 90 days.*,**
		(2) _	Hazardous waste is received from off-site and not beneficially used, reused or legitimately recycled or stored.*
		(3) _	Hazardous waste is treated on-site in non-exempt units.*
			Hazardous waste is disposed of on-site.*
		1,	If checked Complete Part VI and/or appropriate Appendices) On not complete for generators only that have exceeded the 90 day corage limit.)
	С.	Transp	porter Status
		Yes _	No Hazardous waste is transported by this company.
		If Yes	, Complete Part VII Permit No

## FOIA Report of Non-Sensitive Compliance Monitoring and Enforcement Data

Version 5.0 Report run on: April 1, 2016 - 11:56 AM

User Selection Criteria

Location:

New York, all activities

**Activity Location:** 

None Chosen

Handler ID:

NYR000016220

Group of IDs:

None Chosen

Handler Name:

Handler Universe:

All Facilities Regardless of Universe

Determined Date Range: From: 10/01/1980 To: 04/01/2016

Location County Code: None Chosen

**Evaluation Type:** 

Location City:

Focus Area:

Location Zip Code:

Violation Type:

State District:

None Chosen

Display Code Descrip.:

Sort Order:

Region, State, Handler Name

Display Universes:

Yes Yes

#### Results

Data meeting the criteria you selected follows.

Total Pages: 5

**Total Handlers:1** 

### Report Description

This report presents available information from the Resource Conservation and Recovery Act Information System (RCRAInfo) about compliance evaluations, violations, and enforcement actions meeting the criteria supplied by the user. Evaluations showing no violations does not always indicate that no violations were determined. Violation without enforcement actions does not always mean no enforcement action will be issued. In order to avoid releasing enforcement sensitive information to the public the following information is not shown on the report: pending civil / judicial referrals, criminal actions and referrals, and State to EPA referrals: all other enforcement actions are released.

### Report Information

Name:

cme foia.rdf

Developed by:

EPA Headquarters. Office of Enforcement and Compliance Assurance

Deployed: Last Updated:

June 2006 May 2012

Contact:

rcrainfo.help@epa.gov

Tables Used:

cmecomp3, ccitation3, hreport\_univ5, lu\_citation, lu\_state, hid\_groups

Libraries:

none

Report run on: April 1, 2016 - 11:56 AM

GEOMETRIC CIRCUITS INC		County	Name / Code: NASSAU /	NY059		NYR000016220
Location: 11 MICHAEL AVE; FARMING	GDALE, NY 11735	•				REGION 02
Mailing: 11 MICHAEL AVE; FARMING	GDALE, NY 11735					REGION 02
Activity Location: NY	State District: NYSDEC R1	Accessibility:	Non-Not	ifier:	Extract Flag:	Y Active Site: Y
Generator: CEG Short-Term Gen: N	Transporter: N Transfer Facility: N	Operating TSDF: Offsite Receiver:	N HSI	n Place: M:	N N	El Indicator (HE / GW):N / N Subpart K:
Full Enforcement: CA Wrkld: N Active State Gen: N	Converter: State TSDF:	State Unaddressed State Addressed S State SNC w/Com	NC: N EPA	A Unaddressed SNC: A Addressed SNC: A SNC w/Comp Sched	N N d: N	
Violation: Activity Location: NY	Type: 262.A	Determined Date: 01/21/199	8 Determined by	Agency: EPA	Resp	onsible Agency: EPA
Scheduled Compliance Date: Former Citation - FR - 40 cfr 260-2		ual Compliance Date: 07/02/		C Qualifier: OBSERV		Sequence Number: 1
CEI Evaluation 01/21/1998	Activity Location: NY	By: EPA	Identifier: 000	Person: R2CJG	Branch: RCB	Found Violation: YES
Citizen Complaint: NO	Multimedia Inspection: NO	Sampling: NO	Not Subtitle C: NO	Day Zero:		Focus Area:
No Linked Enforcements		**************************************	***************************************	**************************************		
Violation: Activity Location: NY Scheduled Compliance Date: 10/1		Determined Date: 09/19/1990 ual Compliance Date: 10/01/		Agency: State C Qualifier: OBSERVI		onsible Agency: State Sequence Number: 1
CEI Evaluation 09/10/1996	Activity Location: NY	By: State	Identifier: 000 F	Person: NYTJN	Branch: R1	Found Violation: YES
Citizen Complaint: NO	Multimedia Inspection: NO	Sampling: NO	Not Subtitle C: NO	Day Zero:		Focus Area:
Enforcement: Activity Location	.,,,,	e: 120	Action Date: 09/19/1996		Identifier: 00	0
Docket: CA Component: N	Aç Disposition Status:	gency: State	Responsible Perso		Branch: R	
on component. N	Disposition Status.		Appeal Initiated	1:	A	Appeal Resolved:
Evaluations With No Violations:		100000 0015, 415 101 101 101 001 001 001 001 001 001 0	Common Co		19 <del>54 (1955) (19</del> 00) (190) y comen <del>ders en 444</del> 6/168 (1904) (1905)	
CEI Evaluation 06/18/2008 Citizen Complaint: NO	Activity Location: NY Multimedia Inspection: NO	By: State Sampling: NO	Identifier: 001 P Not Subtitle C: NO	erson: NYAPL Day Zero:	Branch: R1 06/18/2008	Found Violation: NO Focus Area:
CEI Evaluation 02/11/2003	Activity Location: NY	By: State	Identifier: 001 P	erson: NYKMY	Branch: R1	Found Violation: NO
Citizen Complaint: NO	Multimedia Inspection: NO	Sampling: NO	Not Subtitle C: NO	Day Zero:		Focus Area:
Orphan Enforcement Actions:						CONTRACTOR OF THE PROPERTY OF
Enforcement: Activity Location: Docket:	.,,,	120 ency: EPA	Action Date: 03/11/1998 Responsible Persor	n: R2C.IG	Identifier: 000 Branch: RO	
CA Component: N	Disposition Status:		Appeal Initiated:		Dialion. KC	,,,

<sup>\*</sup> Note: Penalty amount may not reflect all violations cited.

# FOIA Report of Non-Sensitive Compliance Monitoring and Enforcement Data

Report run on: April 1, 2016 - 11:56 AM

Total Number of Handlers:

1

Total Number of Activity Locations:

1

\* End of Report \*

<sup>\*</sup> Note: Penalty amount may not reflect all violations cited.

# FOIA Report of Non-Sensitive Compliance Monitoring and Enforcement Data

Report run on: April 1, 2016 - 11:56 AM

### Description of codes used on the report:

Universes	Description of Universes
Generator	Indicates that the facility is a Large Quantity Generator (LQG), Small Quantity Generator (SQG), Conditionally Exempt Small Quantity Generator (CEG), or not a generator (N).
Transporter	Indicates that the facility Transports waste subject to RCRA regulations. ('Y' indicates that the facility is in this universe).
Operating TSDF	Indicates that the facility is a Treatment, Storage or Disposal facility subject to any type of enforcement. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment)
IC in Place	Indicates that the facility has Institutional Controls in place. ('Y' indicates that the facility is in this universe).
El Indicator (HE / GW)	Indicates that the facility has controls in place for Environmental Indicators.  HE - Human Exposures ('+' indicates the exposure exists and is under control; '-' indicates the exposure exists and is not under control;  'N' indicates the exposure does not exist)  GW - Groundwater Release ('+' indicates the exposure exists and is under control; '-' indicates the exposure exists and is not under control;  'N' indicates the exposure does not exist)
Short-Term Gen	Indicates that the facility is a short term or one time event generator and not generating from ongoing processes.
Transfer Facility	Indicates that the facility transfers hazardous waste.
Offsite Receiver	Indicates that the facility, whether public or private, currently accepts hazardous waste from another site (site identified by a different EPA ID).
HSM	Indicates that the facility manages hazardous secondary material(s) (e.g. spent material, by-product or sludge) that when discarded, would be identified as hazardous waste.
Subpart K	Indicates that the facility has opted into the subpart K laboratory rule. It then specifies the type of facility (C - College or University; H - Teaching Hospita N - Non-profit Research Institute; W - withdrawal from the rule)
Full Enforcement	Indicates that the facility is a Treatment, Storage or Disposal facility which is part of the Full Enforcement universe. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment)
CA Workload	Indicates that the facility is part of the Corrective Action Workload universe. ('Y' indicates that the facility is in this universe).
Active State Gen	Indicates that the facility is an Active State Generator. ('Y' indicates that the facility is in this universe).
Converter	Indicates that the facility is a Converter Treatment, Storage or Disposal facility. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment)
State TSDF	Indicates that the facility is a State Treatment, Storage or Disposal facility. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment)
State Unaddressed SNC	Indicates that the facility is a State Unaddressed Significant Non-Complier. ('Y' indicates that the facility is in this universe).
State Addressed SNC	Indicates that the facility is a State Addressed Significant Non-Complier. ('Y' indicates that the facility is in this universe).
State SNC w/ Compl. Sched	Indicates that the facility is a State Significant Non-Complier with a Compliance Schedule. ('Y' indicates that the facility is in this universe).
EPA Unaddressed SNC	Indicates that the facility is an EPA Unaddressed Significant Non-Complier. ('Y' indicates that the facility is in this universe).
EPA Addressed SNC	Indicates that the facility is an EPA Addressed Significant Non-Complier. ('Y' indicates that the facility is in this universe).
EPA SNC w/ Compl. Sched	Indicates that the facility is a EPA Significant Non-Complier with a Compliance Schedule. ('Y' indicates that the facility is in this universe).

<sup>\*</sup> Note: Penalty amount may not reflect all violations cited.

Report run on: April 1, 2016 - 11:56 AM

## Description of codes used on the report:

Code	Description
В	indicates that the handler has filed for bankruptcy and bankruptcy litigation is in process.
С	indicates that all RCRA responsibilities for permitting/closure, corrective action, and compliance monitoring and enforcement at the facility have been formally transferred to the CERCLA program or state equivalent.
F	indicates that all responsible parties (owners/operators) for the handler have fled the country or are otherwise not available for prosecution.
L	indicates that the handler's case is tied up in litigation to the extent that further progress in achieving RCRA compliance through normal enforcement is not possible.

NON-NOTIFII is suspected	ER - indicates that the handler has been identified through a source other than Notification and of conducting RCRA-regulated activities without proper authority:
Code	Description
E	indicates that the handler was initially a non-notifier, subsequently determined to be exempt from requirements to notify.
0	indicates that the handler is a former non-notifier.
Х	indicates that the handler is a non-notifier.

Violation Type	Description	
262.A	GENERATORS - GENERAL	

Evaluation Type	Type Description	
CEI	COMPLIANCE EVALUATION INSPECTION ON-SITE	

Enforcement Description	
WRITTEN INFORMAL	
	- Committee - Comm

<sup>\*</sup> Note: Penalty amount may not reflect all violations cited.

•		
<i>x</i>		